

# TOWN OF HOPEDALE Board of Health

78 Hopedale Street - P.O. Box 7 Hopedale, Massachusetts 01747 Tel: 508-634-2203 Ext. 222 Fax: 508-634-2200

### REQUIREMENTS FOR DISPOSAL WORKS INSTALLERS PERMIT

#### Submit to Board of Health:

- 1. Completed Application Form
- 2. Copy of Mass. Hoisting License 2A
- 3. Copy of Worker's Compensation Insurance
- 4. Copy of Certificate of Liability Insurance
- 4. Copy of Installer's Permit from three (3) other towns
- 5. Fee \$200.00 (as of 7/17/2017)
- 6. Dig Safe Ticket Number



#### TOWN OF HOPEDALE Board of Health

78 Hopedale Street - P.O. Box 7 Hopedale, Massachusetts 01747 Tel: 508-634-2203 Ext. 222 Fax: 508-634-2200

### APPLICATION FOR SEPTIC SYSTEM DISPOSAL WORKS INSTALLERS PERMIT

Regulation 2.2 of Title 5

Please print:	Regulation 2.2 of Title 5	•
Applicant's Name:		
Business Name:		
Address:		
(Street)	City/Town	(State) (Zip)
Phone:		
Hoisting Engineer License N	No.:	
List Names of Persons Auth	orized to Perform Work Under Y	our Supervision:
Address of installation/repair	r:	
Owner's Name:		
Dig Safe No.:		
	engage in the construction, alterat system with first obtaining a Disp	ion, installation or repair of any osal Works Installer's Permit from
standards of construction. Frepaired individual sewage of issued a Certificate of Componstructed, altered or repair	pliance indicating that said dispos	ce into service a new, altered or Health, or its assigned agent, has
Signature:	D	ate:
*********	**********	*******
Signa	ture T	itle
Permit No.:	Issue Date:	
	Evniration Date:	



## TOWN OF HOPEDALE Board of Health

78 Hopedale Street - P.O. Box 7 Hopedale, Massachusetts 01747 Tel: 508-634-2203 Ext. 222 Fax: 508-634-2200

#### SEPTIC INSPECTION REQUIREMENTS

- 1. Installers shall not start construction of any system until receipt of an installer's permit from the Board of Health.
- 2. A copy of the approved plan shall be kept on site.
- 3. Installer must contact Board of Health office to request an inspection.
- 4. Inspection of the septic tank hole, showing 6' stone base, prior to setting the tank is required.
- 5. Inspection of the bottom of the leaching system prior to any fill material being brought in (regardless of whether there is a 5' over dig or not).
- **6. Final inspections of all the components:** Systems shall not be backfilled until an "as-built" plan is received or verbal confirmation by the design engineer is acknowledged.
- 7. Final grading inspection will also now be required, prior to the issuance of a certificate of compliance.
- 8. Additional requirements may also be necessary in any particular situations.
- 9. Any deviation from the septic design plan will require that you notify the Health Agent.
- 10. All fill material shall be "homogeneous" septic sand, free of any material greater than 2" in diameter.
- 11. Backfill material over the system shall consist of material, which is free of stones and rocks greater than 6" in diameter.
- 12. Final cover above the system shall be graded so that the surface drainage is directed away from the system.
- 13. All system stone shall be double washed and will be checked on site by the Inspector prior to being put in place.

- 14. Three (3) inspections are covered under the \$600 septic plan review fee.
- 15. Any additional inspections will be charged at a fee of \$100 each. Board of Health office will contact installer to arrange payment of additional fees.
- 16. Certificate of Compliance will not be issued until all additional fees have been paid.
- 17. Certificate of Compliance will not be issued until Board of Health office has received an "As Built" of the plan.